



AKS 33+ GEL

ART. NO: 3641 | GRAFFITI REMOVER

AKS 33+ GEL is a powerful graffiti and paint remover. For use on porous exterior surfaces.

AKS 33+ GEL is specially designed for use in cold weather conditions.

AKS 33+ GEL is a thickened highly effective graffiti remover to be used on porous and some hard surfaces.

AKS 33+ GEL dissolves spray-paint graffiti, permanent markers and even petroleum based rust protective sealers.

AKS 33+ GEL may be used on following surfaces:

Porous surfaces

Concrete, brick, granite, marble, limestone, sandstone, slate, surfaces painted with non-organic paint.

Hard surfaces

Metal, treated wood, clinker, glazed brick and some plasters.

INSTRUCTIONS FOR USE

Graffiti-removal

Apply **AKS 33+ GEL** with a brush or airless sprayer. Agitate the surface well. Leave until graffiti has dissolved, 20 minutes – 4 hours. Jet off with hot water and high pressure, (90°C, 150 bar/2175 PSI). Lance nozzle spread should be 15 - 25 degrees and water flow should be 15 to 20 litres/minute, (4-5 gal/minute).

Dosage

Use as concentrate.

Consumption

0,5 - 1,0 litre/m².

Storage

Store frost-free in original closed container.

Shelf life

Approximately 24 months in unopened container.

Technical data

- Viscous yellowish fluid.
- Packaging: 5 or 25 litre plastic jerricans.
- Density: 1,02 kg/litre.
- Solvent odour.
- Flash point >58°C
- Contains n-Butylpyrrolidone, Y-Butyrolactone, Dimethyl succinate, Hydrocarbons, C9, aromatic.

Precautions

Protective clothing. Visor when high-pressure washing and breathing mask in poorly ventilated areas.

Marking: Danger



Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

Classified as dangerous goods in ADR and IMDG.

UN 3295, HYDROCARBONS, LIQUID, N.O.S.

Class: 3 PG: III

For more information, see [MSDS](#).

Modified: 2020-10-30

This product information is intended as a guide for use of this product. TRION TENSID AB cannot give any guarantee for end result achieved. Applicator of product shall carry out testing and be responsible for the result.