



BPS 7712

ART. NO: 7712 | IMPREGNATION FOR POROUS SURFACES

Water carried impregnating agent, based on silane/siloxane solution. Gives an effective protection against water penetration. Permeable. Protects the surface for 10 years.

BPS 7712 is a water carried impregnating agent for protecting mineral surfaces and concrete. **BPS 7712** is water repellent and gives a protection against water penetrating the surface. More or less invisible on the surface, and also UV-resistant.

BPS 7712 is permeable i.e stops water from penetrating, but the surface “can breathe” and transport moisture. A surface protected with **BPS 7712** may be graffiti protected with [AGS 3502](#) and [AGS 3512](#).

Instructions for use

Clean the surface from traffic grime, soot and grease. Mask or protect all windows. Let the surface dry. Apply **BPS 7712** generously with a low pressure sprayer, roller or a brush. Apply 2 times, wet on wet. Work slowly from the top and go downwards. For best impregnating effect, see to that the surface is dry. Lowest application temperature is approx. +5°C.

Consumption

Normal usage: 0,3-1,0 litre/m².

Technical data

- Whitish liquid with no odour.
- Packaging: 10 or 25 litre plastic jerricans.
- Density: 0,99 kg/litre.
- pH value 6.
- Contains silane/siloxane solution.

Storage

Store frost free in original container.

Shelf life

12 months in unopened container.

Safety precautions

Use protective clothing, gloves and glasses.

Marking

No marking is required.

Not classified as dangerous goods.

For more information, see [MSDS](#).