

SAFETY DATA SHEET

AGS 3502

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

AGS 3502

Product no.

3502

Unique formula identifier (UFI)

MG70-C0Y8-R00U-5QE4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Graffiti protection

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Trion Tensid AB

Svederusgatan 1-3

SE-75450 Uppsala

Sweden

+46 18 15 61 90

www.trion.se

Contact person

William Stomilovic

E-mail

info@trion.se

Revision

30/09/2022

SDS Version

5.0

Date of previous version

29/09/2022 (5.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)



Not applicable.

Safety statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

Hazardous substances

None known.

Additional labelling

EUH208, Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothi. May produce an allergic reaction.

EUH210, Safety data sheet available on request.

VOC

VOC content: 0 g/L

MAXIMUM VOC CONTENT (Phase II, category B/e: 840 g/L)

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohols, C12-15, branched and linear, ethoxylated	CAS No.: 106232-83-1 EC No.: 500-294-5 UK-REACH: Index No.:	<1%	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
Fatty alcohol polyglycol ether	CAS No.: 68439-49-6 EC No.: 500-212-8 UK-REACH: Index No.:	<1%	Acute Tox. 4, H302 Eye Dam. 1, H318	
Alcohols, C16-18 and C18 unsatd., ethoxylated	CAS No.: 68920-66-1 EC No.: UK-REACH: Index No.:	<1%	Acute Tox. 4, H302 Eye Dam. 1, H318	

AGS 3502 Page 2 of 14



Alcohols, C12-18, ethoxylated

CAS No.: 68213-23-0

<1%

Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412

EC No.:

UK-REACH: Index No.:

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction in already sensitized persons.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.



5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

4 - 25 Celcius

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-dimethylaminoethanol N,N-dimethylethanolamine

Long term exposure limit (8 hours) (ppm): 2

Long term exposure limit (8 hours) (mg/m³): 7,4

Short term exposure limit (15 minutes) (ppm): 6

Short term exposure limit (15 minutes) (mg/m³): 22

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.



General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No special when used as intended.	-	-	-

Eye protection

Type	Standards
Wear safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

White

Odour / Odour threshold

Faint

рΗ

8,5

Density (g/cm³)

1

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

AGS 3502



Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

VOC (g/L)

0

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity



Product/substance	Alcohols, C12-15, branched and linear, ethoxylated
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	500-2000 mg/kg ·
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>300-2000 mg/kg ·
Other information	
Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	6,1 mg/L
Other information	
Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	1220 mg/kg
Other information	
Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	2 g/kg

AGS 3502 Page 7 of 14



Other information	
Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	2130 mg/kg
Other information	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

None known.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Alcohols, C12-15, branched and linear, ethoxylated	
Test method		
Species	Fish	
Compartment		
Duration	96 hours	

AGS 3502 Page 8 of 14



Test	
	LC50
Result	1-10 mg/kg ·
Other information	
Product/substance	Alcohols, C12-15, branched and linear, ethoxylated
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	130 mg/kg ·
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	>1-10 mg/L
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	>10-100 mg/L
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Daphnia
Compartment	
Duration	21 days
Test	LOEC
Result	>0,1-1 mg/L

AGS 3502 Page 9 of 14



Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Algae Compartment Duration 72 hours Test LC50 Result 35 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Daphnia Compartment Duration 48 hours Test LC50 Result 89,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test Est LC50 Result 98,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test Est Est LC50 Result 98,37 mg/L Other information Test method Species Fish Compartment Duration 96 hours Test LC50 Result 100-220 mg/L Other information		
Fest method Species Algae Compartment Duration 72 hours Test LC50 Result 35 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Compartment Duration 48 hours Test LC50 Result 89,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Fish Compartment Duration 96 hours Test LC50 Result 96 hours Test LC50 Result Jour Loss of the product of	Other information	
Species Algae Compartment 72 hours Test LC50 Result 35 mg/L Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 5 mg/L Species paphnia Compartment 48 hours Test LC50 Result 89,37 mg/L Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 5 pscies Fish Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Compartment Duration 72 hours Test LC50 Result 35 mg/L Other information	Test method	
Duration 72 hours Test LC50 Result 35 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Daphnia Compartment Test LC50 Result 89,37 mg/L Other information Test method Test method Fish Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Species	Algae
Test LC50 Result 35 mg/L Other information	Compartment	
Result 35 mg/L Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 5 pecies Species Daphnia Compartment 48 hours Test LC50 Result 89,37 mg/L Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 5 pecies Species Fish Compartment Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Duration	72 hours
Single Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 5pecies Daphnia Compartment Duration 48 hours Test LC50 Result 89,37 mg/L Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 5pecies Species Fish Compartment Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Test	LC50
Product/substance Test method Species Daphnia Compartment Duration 48 hours Test 250 Result 99,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Test method Test method Test method Test method Test method Species Fish Compartment Duration 96 hours Test 250 Result 100-220 mg/L	Result	35 mg/L
Edited Species Daphnia Compartment Duration 48 hours Test LC50 Result 89,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Fish Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Other information	
Species Daphnia Compartment Duration 48 hours Test 1C50 Result 89,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Fish Compartment Duration 96 hours Test 1C50 Result 100-220 mg/L	Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Compartment Duration 48 hours Test LC50 Result 89,37 mg/L Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Fish Compartment Duration Duration 96 hours Test LC50 Result 100-220 mg/L	Test method	
Duration 48 hours Test 1C50 Result 89,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Fish Compartment Duration 96 hours Test 1C50 Result 100-220 mg/L	Species	Daphnia
Test LC50 Result 89,37 mg/L Other information 2-dimethylaminoethanol N,N-dimethylethanolamine Test method 5pecies Species Fish Compartment 96 hours Test LC50 Result 100-220 mg/L	Compartment	
Result 89,37 mg/L Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Fish Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Duration	48 hours
Other information Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Fish Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Test	LC50
Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine Test method Species Fish Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Result	89,37 mg/L
Test method Fish Compartment Formula of the company of the co	Other information	
SpeciesFishCompartmentDuration96 hoursTestLC50Result100-220 mg/L	Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Compartment Duration 96 hours Test LC50 Result 100-220 mg/L	Test method	
Duration 96 hours Test LC50 Result 100-220 mg/L	Species	Fish
Test LC50 Result 100-220 mg/L	Compartment	
Result 100-220 mg/L	Duration	96 hours
100-220 Hig/L	Test	LC50
Other information	Result	100-220 mg/L
	Other information	

12.2. Persistence and degradability

Product/substance	Alcohols, C12-15, branched and linear, ethoxylated
Biodegradable	Yes
Test method	OECD 301 B
Result	>60%
Product/substance	Tridecylalcoholethoxilate
Biodegradable	Yes
Test method	

AGS 3502 Page 10 of 14



Result	
Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Biodegradable	Yes
Test method	
Result	
Product/substance	Alcohols, C12-18, ethoxylated
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

noaccumulative poter	
Product/substance	Alcohols, C12-15, branched and linear, ethoxylated
Test method	
Potential bioaccumulation	No
LogPow	No data available.
BCF	No data available.
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Potential bioaccumulation	No
LogPow	No data available.
BCF	No data available.
Other information	
Product/substance	2-dimethylaminoethanol N,N-dimethylethanolamine
Test method	
Potential bioaccumulation	No
LogPow	-0,55
BCF	No data available.
Other information	
Product/substance	Alcohols, C12-18, ethoxylated
Test method	
Potential bioaccumulation	No
LogPow	No data available.

AGS 3502 Page 11 of 14



BCF	No data available.
Other information	

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. After dilution with water, small quantities are permitted to go to water treatment plants. Empty packages and product residues must be handled in an environmentally correct manner according to applicable laws and provisions. The company is affiliated to REPA. Do not attempt to refill or clean the package.

EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

Restricted to professional users.

^{**} Environmental hazards



Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

2012 No. 1715 ENVIRONMENTAL PROTECTION: The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit



SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

▼ The safety data sheet is validated by

William Stomilovic

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en