

SAFETY DATA SHEET

AGS 3506

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

AGS 3506

Product no.

3506

Unique formula identifier (UFI)

MJ70-V0NP-200C-T206

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Graffiti protection

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Trion Tensid AB

Svederusgatan 1-3

SE-75450 Uppsala

Sweden

+46 18 15 61 90

www.trion.se

Contact person

William Stomilovic

E-mail

info@trion.se

Revision

30/09/2022

SDS Version

4.0

Date of previous version

29/09/2022 (4.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)



Not applicable.

Safety statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

Hazardous substances

None known.

Additional labelling

EUH208, Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothi. May produce an allergic reaction.

EUH210, Safety data sheet available on request.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|---|----------------------|-------|---|------|
| Alcohols, C12-15, branched and linear, | CAS No.: 106232-83-1 | <1% | Acute Tox. 4, H302 Eye Dam. 1, H318 | |
| ethoxylated | EC No.: 500-294-5 | | Aquatic Acute 1, H400 (M=1) | |
| | UK-REACH: | | | |
| | Index No.: | | | |
| titanium dioxide | CAS No.: 13463-67-7 | <1% | | |
| | EC No.: 236-675-5 | | | |
| | UK-REACH: | | | |
| | Index No.: | | | |
| Alcohols, C12-18, | CAS No.: 68213-23-0 | <1% | Eye Dam. 1, H318 | |
| ethoxylated | EC No.: | | Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412 | |
| | UK-REACH: | | | |
| | Index No.: | | | |
| Alcohols, C16-18 and C18 unsatd., ethoxylated | CAS No.: 68920-66-1 | <1% | Acute Tox. 4, H302 Eye Dam. 1, H318 | |
| | EC No.: | | Lye Daill. 1, 11310 | |
| | | | | |

AGS 3506 Page 2 of 17



UK-REACH:
Index No.:

Fatty alcohol polyglycol ether

CAS No.: 68439-49-6
EC No.: 500-212-8
UK-REACH:
Index No.:

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

_

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction in already sensitized persons.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.



5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

4 - 25 Celcius

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

titanium dioxide

Long term exposure limit (8 hours) (mg/m³): 10(inhalable)/4(respirable)

2-dimethylaminoethanol N,N-dimethylethanolamine

Long term exposure limit (8 hours) (ppm): 2

Long term exposure limit (8 hours) (mg/m³): 7,4

Short term exposure limit (15 minutes) (ppm): 6

Short term exposure limit (15 minutes) (mg/m³): 22

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.



EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate

| Duration | Route of exposure | DNEL |
|---|-------------------|------------------|
| Long term – Systemic effects - General population | Dermal | 7500 mg/kg bw/d |
| Long term – Systemic effects - Workers | Dermal | 15 000mg/kg bw/d |
| Long term – Systemic effects - General population | Inhalation | 1,8 mg/m3 |
| Long term – Systemic effects - Workers | Inhalation | 7,3 mg/m3 |
| Short term – Local effects - Workers | Inhalation | 55 mg/m3 |
| Short term – Systemic effects - Workers | Inhalation | 55 mg/m3 |
| Long term – Systemic effects - General population | Oral | 1,5 mg/kg bw/d |

PNFC

tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate

| Route of exposure | Duration of Exposure | PNEC |
|----------------------|----------------------|----------|
| Freshwater | Single | 2 mg/L |
| Intermittent release | Continuous | 1 mg/L |
| Marine water | Single | 0,2 mg/L |

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

AGS 3506

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

| Туре | Class | Colour | Standards |
|---|-------|--------|-----------|
| Respiratory protection is not needed in the event of adequate ventilation | - | - | - |

Skin protection

| Recommended | Type/Category | Standards |
|-----------------------------------|---------------|-----------|
| No special when used as intended. | - | - |

Hand protection

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|----------|----------------------|--------------------------|----------------|--|
| Latex | 0.4 | - | EN374-2, EN388 | |

Eye protection

| Туре | Standards | |
|--|-----------|--|
| Wear safety glasses with side shields. | EN166 | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Muddy

Odour / Odour threshold

Faint

рΗ

8,5

Density (g/cm³)

1

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100

Vapour pressure

AGS 3506



Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Not applicable - flash point > 200°C

Ignition (°C)

Not applicable - flash point > 200°C

Auto flammability (°C)

Not applicable - flash point > 200°C

Lower and upper explosion limit (% v/v)

Not applicable - flash point > 200°C

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (q/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Dust explosion class

St0 (No explosion)

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated | |
|-------------------|--|--|
| Test method | | |
| Species | Rat | |
| Route of exposure | Oral | |

AGS 3506 Page 7 of 17



| Test | LD50 |
|-------------------|---|
| Result | 500-2000 mg/kg · |
| Other information | |
| Product/substance | titanium dioxide |
| Test method | |
| Species | Rabbit |
| Route of exposure | Dermal |
| Test | LD50 |
| Result | >10000 mg/kg · |
| Other information | |
| Product/substance | titanium dioxide |
| Test method | |
| Species | Rat |
| Route of exposure | Inhalation |
| Test | LC50 |
| Result | >6,8 mg/L · |
| Other information | |
| Product/substance | titanium dioxide |
| Test method | |
| Species | Rat |
| Route of exposure | Oral |
| Test | LD50 |
| Result | >10000 mg/kg · |
| Other information | |
| Product/substance | Tridecylalcoholethoxilate |
| Test method | |
| Species | Rat |
| Route of exposure | Oral |
| Test | LD50 |
| Result | >300-2000 mg/kg · |
| Other information | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Test method | |
| Species | Rat |

AGS 3506 Page 8 of 17



| Route of exposure | Inhalation |
|-------------------|--|
| Test | LC50 |
| Result | 6,1 mg/L |
| Other information | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Test method | |
| Species | Rabbit |
| Route of exposure | Dermal |
| Test | LD50 |
| Result | 1220 mg/kg |
| Other information | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Test method | |
| Species | Rat |
| Route of exposure | Oral |
| Test | LD50 |
| Result | 2 g/kg |
| Other information | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Test method | |
| Species | Rat |
| Route of exposure | Oral |
| Test | LD50 |
| Result | 2130 mg/kg |
| Other information | |
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate |
| Test method | |
| Species | Rat |
| Route of exposure | Oral |
| Test | LD50 |
| Result | >5000 mg/kg |
| Other information | |

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Serious eye damage/irritation

AGS 3506 Page 9 of 17



Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

None known.

Other information

titanium dioxide has been classified by IARC as a group 2B carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated |
|-------------------|--|
| Test method | |
| Species | Fish |
| Compartment | |
| Duration | 96 hours |
| Test | LC50 |
| Result | 1-10 mg/kg · |
| Other information | |
| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated |
| Test method | |
| Species | Daphnia |
| Compartment | |
| Duration | 48 hours |
| Test | EC50 |
| Result | 130 mg/kg · |
| Other information | |
| | |

AGS 3506 Page 10 of 17



| Product/substance | titanium dioxide |
|-------------------|---|
| Test method | |
| Species | Fish |
| Compartment | |
| Duration | 96 hours |
| Test | LC50 |
| Result | >1000 mg/L · |
| Other information | |
| Product/substance | Tridecylalcoholethoxilate |
| Test method | |
| Species | Fish |
| Compartment | |
| Duration | 96 hours |
| Test | LC50 |
| Result | >1-10 mg/L |
| Other information | |
| Product/substance | Tridecylalcoholethoxilate |
| Test method | |
| Species | Daphnia |
| Compartment | |
| Duration | 48 hours |
| Test | EC50 |
| Result | >10-100 mg/L |
| Other information | |
| Product/substance | Tridecylalcoholethoxilate |
| Test method | |
| Species | Daphnia |
| Compartment | |
| Duration | 21 days |
| Test | LOEC |
| Result | >0,1-1 mg/L |
| Other information | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Test method | |

AGS 3506 Page 11 of 17



| Species | Algae | | | |
|-------------------|--|--|--|--|
| Compartment | | | | |
| Duration | 72 hours | | | |
| Test | LC50 | | | |
| Result | 35 mg/L | | | |
| Other information | | | | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine | | | |
| Test method | | | | |
| Species | Daphnia | | | |
| Compartment | | | | |
| Duration | 48 hours | | | |
| Test | LC50 | | | |
| Result | 89,37 mg/L | | | |
| Other information | | | | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine | | | |
| Test method | | | | |
| Species | Fish | | | |
| Compartment | | | | |
| Duration | 96 hours | | | |
| Test | LC50 | | | |
| Result | 100-220 mg/L | | | |
| Other information | | | | |
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate | | | |
| Test method | | | | |
| Species | Fish | | | |
| Compartment | | | | |
| Duration | 96 hours | | | |
| Test | LC50 | | | |
| Result | >100 mg/L | | | |
| Other information | | | | |
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate | | | |
| Test method | | | | |
| Species | Daphnia | | | |
| Compartment | | | | |

AGS 3506 Page 12 of 17



| Duration | 48 hours |
|---------------------------|--|
| Test | EC50 |
| Result | >265 mg/L |
| Other information | |
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate |
| Test method | |
| | |
| Species | Algae |
| Species Compartment | Algae |
| | Algae 72 hours |
| Compartment | |
| Compartment Duration | 72 hours |
| Compartment Duration Test | 72 hours IC50 |

12.2. Persistence and degradability

| | · · | | | | |
|-------------------|--|--|--|--|--|
| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated | | | | |
| Biodegradable | Yes | | | | |
| Test method | OECD 301 B | | | | |
| Result | >60% | | | | |
| Product/substance | titanium dioxide | | | | |
| Biodegradable | Yes | | | | |
| Test method | | | | | |
| Result | | | | | |
| Product/substance | Alcohols, C12-18, ethoxylated | | | | |
| Biodegradable | Yes | | | | |
| Test method | | | | | |
| Result | | | | | |
| Product/substance | Tridecylalcoholethoxilate | | | | |
| Biodegradable | Yes | | | | |
| Test method | | | | | |
| Result | | | | | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine | | | | |
| Biodegradable | Yes | | | | |
| Test method | | | | | |
| Result | | | | | |
| | | | | | |

AGS 3506 Page 13 of 17



| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate | | | |
|-------------------|--|--|--|--|
| Biodegradable | Yes | | | |
| Test method | | | | |
| Result | | | | |

12.3. Bioaccumulative potential

| • | |
|------------------------------|--|
| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated |
| Test method | |
| Potential bioaccumulation | No |
| LogPow | No data available. |
| BCF | No data available. |
| Other information | |
| Product/substance | titanium dioxide |
| Test method | |
| Potential bioaccumulation | No |
| LogPow | No data available. |
| BCF | No data available. |
| Other information | |
| Product/substance | Alcohols, C12-18, ethoxylated |
| Test method | |
| Potential bioaccumulation | No |
| LogPow | No data available. |
| BCF | No data available. |
| Other information | |
| Product/substance | Tridecylalcoholethoxilate |
| Test method | |
| Potential bioaccumulation | No |
| LogPow | No data available. |
| BCF | No data available. |
| Other information | |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Test method | |
| Potential bioaccumulation | No |
| | |

AGS 3506 Page 14 of 17



| LogPow | -0,55 |
|------------------------------|--|
| BCF | No data available. |
| Other information | |
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate |
| Test method | |
| Potential bioaccumulation | No |
| LogPow | <0 |
| BCF | No data available. |
| Other information | |
| | |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

After dilution with water, small quantities are permitted to go to water treatment plants. Empty packages and product residues must be handled in an environmentally correct manner according to applicable laws and provisions. The company is affiliated to REPA. Do not attempt to refill or clean the package.

EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information |
|------|--------------|------------------------------|-----------------------|----------|------------|-------------------|
| ADR | - | - | - | - | - | - |
| IMDG | - | - | - | - | - | - |
| IATA | - | - | - | - | - | - |

^{*} Packing group

Additional information

^{**} Environmental hazards



Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association



IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

▼ The safety data sheet is validated by

William Stomilovic

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en