

## SAFETY DATA SHEET

### BPS 7317

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name

BPS 7317

Product no.

7317

Unique formula identifier (UFI)

H080-E03N-K00T-4RWH

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning product

▼ Uses advised against

None known.

##### 1.3. Details of the supplier of the safety data sheet

Company and address

**Trion Tensid AB**

Svederusgatan 1-3

SE-75450 Uppsala

Sweden

+46 18 15 61 90

www.trion.se

▼ Contact person

William Stomilovic

E-mail

info@trion.se

Revision

30/09/2022

SDS Version

4.0

Date of previous version

21/06/2022 (3.0)

##### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

Acute Tox. 4; H332, Harmful if inhaled.

##### 2.2. Label elements

Hazard pictogram(s)



#### Signal word

Danger

#### Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Harmful if inhaled. (H332)

#### Safety statement(s)

##### General

-

##### Prevention

Do not breathe vapour/mist. (P260)

Use only outdoors or in a well-ventilated area. (P271)

Wear eye protection/protective gloves/protective clothing. (P280)

##### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
(P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

##### Storage

-

##### Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

#### Hazardous substances

phosphoric acid ... %, orthophosphoric acid ... %

hydrogen chloride

#### ▼ Additional labelling

Not applicable.

#### 2.3. Other hazards

##### ▼ Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 3: Composition/information on ingredients

#### ▼ 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
phosphoric acid ... %, orthophosphoric acid ... %	CAS No.: 7664-38-2 EC No.: 231-633-2 UK-REACH: Index No.: 015-011-00-6	15-25%	Skin Corr. 1B, H314 (SCL: 25.00 %)	[1]
hydrogen chloride	CAS No.: 7647-01-0 EC No.: 231-595-7 UK-REACH:	15-25%	Skin Corr. 1A, H314 Acute Tox. 3, H331	[1]

Index No.: 017-002-00-2				
2-butyne-1,4-diol	CAS No.: 110-65-6	<0,1%	Acute Tox. 3, H301 Acute Tox. 4, H312	[1]
	EC No.: 203-788-6		Skin Corr. 1B, H314 (SCL: 50.00 %) Skin Irrit. 2, H315 (SCL: 25.00 %)	
	UK-REACH:		Skin Sens. 1, H317	
	Index No.: 603-076-00-9		Eye Irrit. 2, H319 (SCL: 25.00 %) Acute Tox. 3, H331 STOT RE 2, H373	

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### ▼ Other information

[1] European occupational exposure limit.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### ▼ Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### ▼ Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### ▼ Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### ▼ Burns

Not applicable.

### ▼ 4.2. Most important symptoms and effects, both acute and delayed

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### ▼ 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Avoid inhalation of vapours from spilled material.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

### ▼ 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### ▼ 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Always store in containers of the same material as the original container.

#### Storage temperature

4 - 25 Celcius

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

—  
phosphoric acid ... %, orthophosphoric acid ... %  
Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1  
Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2

—  
hydrogen chloride  
Long term exposure limit (8 hours) (ppm): 1  
Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 2  
Short term exposure limit (15 minutes) (ppm): 5  
Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 8

—  
2-butyne-1,4-diol  
Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 0,5

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

### DNEL

phosphoric acid ... %, orthophosphoric acid ... %

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Inhalation	0,36 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	4,57 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	10,7 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	2 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	0,1 mg/kg/day

### ▼ PNEC

No data available.

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.


#### Individual protection measures, such as personal protective equipment

##### Generally

Wash contaminated clothing before reuse.


Use only UKCA marked protective equipment.

##### Respiratory Equipment

Work situation	Type	Class	Colour	Standards
In the case of insufficient ventilation	B	Class 1 (low capacity)	Gray	


##### Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-




##### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0,4	>480	EN374-2



##### Eye protection

Type	Standards
Wear safety glasses with side shields.	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Colourless

#### Odour / Odour threshold

Sour

#### pH

0,5

#### Density (g/cm<sup>3</sup>)

1.2

#### ▼ Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### ▼ Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

##### Boiling point (°C)

110-120

##### ▼ Vapour pressure

Testing not relevant or not possible due to the nature of the product.

##### ▼ Relative vapour density

Testing not relevant or not possible due to the nature of the product.

##### ▼ Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

Not applicable - flash point > 200°C

##### Ignition (°C)

Not applicable - flash point > 200°C

##### Auto flammability (°C)

Not applicable - flash point > 200°C

##### ▼ Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

#### Solubility

##### Solubility in water

Completely soluble

##### ▼ n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

##### ▼ Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

#### 9.2. Other information

##### ▼ Other physical and chemical parameters

No data available.

## SECTION 10: Stability and reactivity

### ▼ 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### ▼ 10.3. Possibility of hazardous reactions

None known.

### ▼ 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### Acute toxicity

Product/substance	phosphoric acid ... %, orthophosphoric acid ... %
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	300-2000 mg/kg
Other information	
Product/substance	hydrogen chloride
Test method	
Species	Rabbit
Route of exposure	Oral
Test	LD50
Result	900 mg/kg ·
Other information	
Product/substance	hydrogen chloride
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	>5010 mg/kg ·
Other information	
Product/substance	hydrogen chloride
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	3 124 ppm/1h ·
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Result	>300-2000 mg/kg ·
Other information	
Product/substance	2-butyne-1,4-diol
Test method	
Species	
Route of exposure	Oral
Test	LD lo
Result	100 mg/kg ·
Other information	
Product/substance	2-butyne-1,4-diol
Test method	
Species	
Route of exposure	Dermal
Test	LD lo
Result	1100 mg/kg ·
Other information	
Product/substance	2-butyne-1,4-diol
Test method	
Species	
Route of exposure	Inhalation
Test	LD lo
Result	3 mg/kg/4h ·
Other information	

Harmful if inhaled.

**Skin corrosion/irritation**

Causes severe skin burns and eye damage.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory sensitisation**

Based on available data, the classification criteria are not met.

**Skin sensitisation**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### ▼ Endocrine disrupting properties

None known.

#### Other information

hydrogen chloride has been classified by IARC as a group 3 carcinogen.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance	phosphoric acid ... %, orthophosphoric acid ... %
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	3,0 - 3,25 mg/L
Other information	
Product/substance	phosphoric acid ... %, orthophosphoric acid ... %
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	>100 mg/L
Other information	
Product/substance	phosphoric acid ... %, orthophosphoric acid ... %
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	>100 mg/L

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other information	
Product/substance	hydrogen chloride
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	282 mg/L ·
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	>1-10 mg/L
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	>10-100 mg/L
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Species	Daphnia
Compartment	
Duration	21 days
Test	LOEC
Result	>0,1-1 mg/L
Other information	

## 12.2. Persistence and degradability

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	phosphoric acid ... %, orthophosphoric acid ... %
Biodegradable	Yes
Test method	
Result	
Product/substance	hydrogen chloride
Biodegradable	Yes
Test method	
Result	
Product/substance	Tridecylalcoholethoxilate
Biodegradable	Yes
Test method	
Result	
Product/substance	2-butyne-1,4-diol
Biodegradable	Yes
Test method	
Result	

### ▼ 12.3. Bioaccumulative potential

Product/substance	phosphoric acid ... %, orthophosphoric acid ... %
Test method	
Potential bioaccumulation	No
LogPow	No data available.
BCF	No data available.
Other information	
Product/substance	hydrogen chloride
Test method	
Potential bioaccumulation	No
LogPow	No data available.
BCF	No data available.
Other information	
Product/substance	Tridecylalcoholethoxilate
Test method	
Potential bioaccumulation	No

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

LogPow	No data available.
BCF	No data available.
Other information	
Product/substance	2-butyne-1,4-diol
Test method	
Potential bioaccumulation	No
LogPow	No data available.
BCF	No data available.
Other information	

#### ▼ 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### ▼ 12.6. Endocrine disrupting properties

None known.

#### ▼ 12.7. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 6 - Acute toxicity

HP 8 – Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

After dilution with water, small quantities are permitted to go to water treatment plants. Empty packages and product residues must be handled in an environmentally correct manner according to applicable laws and provisions. The company is affiliated to REPA. Do not attempt to refill or clean the package.

#### EWC code

20 01 14\* Acids

#### ▼ Specific labelling

Not applicable.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR 3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric Acid, hydrochloric acid solution)	Class: 8 Labels: 8 Classification code: C1	III	No	Limited quantities: 5 L Tunnel restriction code: 3 (E)

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
					See below for additional information.
IMDG 3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric Acid, hydrochloric acid solution)	Class: 8 Labels: 8 Classification code: C1	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA 3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric Acid, hydrochloric acid solution)	Class: 8 Labels: 8 Classification code: C1	III	No	See below for additional information.

\* Packing group

\*\* Environmental hazards

#### ▼ Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

#### ▼ 14.6. Special precautions for user

Not applicable.

#### ▼ 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

#### ▼ Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

hydrogen chloride

#### Regulation on drug precursors

hydrogen chloride is included (Category 3)

#### ▼ Additional information

Not applicable.

#### ▼ Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

The Controlled Drugs (Drug Precursors) Regulations 2008.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as

retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H301, Toxic if swallowed.

H312, Harmful in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H331, Toxic if inhaled.

H373, May cause damage to organs through prolonged or repeated exposure.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### ▼ The safety data sheet is validated by

William Stomilovic

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en